



## AADL/3M/BLK

Adler Exit Sign Maintained / Non-Maintained Black



## Features

Light weight contemporary Ansell design, multiple install options LED Exit Sign

Rotatable legends to reduce waste and increase flexibility

One fitting that enables choice of five different mounting options: Suspension, Recessed, Ceiling surface, Wall surface, Side arm wall mounting

1 metre suspension cable supplied as standard

LiFePO4 Lithium battery provides improved energy consumption, product reliability and lifetime

Available in black and white finishes


Self-test emergency as standard

## General Information

Lamp Type	LED
Colour / Finish	Black
Emergency	Yes
Self Test	Yes
IP Rating	IP20
IK Rating	IK08
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Recessed, Surface, Suspended
Lifetime (Hrs)	L70 50,000h
Warranty (Years)	5
CE Mark	Yes
Length (mm)	286 mm
Height (mm)	212 mm
Depth (mm)	35 mm
Accessories	AADL/WB/W, AADL/WB/BLK, AADL/SRK/W, AADL/SRK/BLK, ASBP/22/LI

## Technical Information

Wattage	2W
CRI	70
CCT	6500K
Input	220/240V
Hertz	50/60Hz
Operating Temp	0°C to 40°C
SDCM	6



Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:27:18 AM