



## ACTSLED/B/3NM

Condor Twin Spot Non-Maintained Black



## Features

Sleek modern polycarbonate moulded decorative twin spot

Individual adjustable LED array's allowing the end user to aim output into the desired location

Decorative design suitable for retail application

Available in black and white finishes

Self-test as standard

## General Information

|                                |             |
|--------------------------------|-------------|
| Lamp Type                      | LED         |
| Colour / Finish                | Black       |
| Emergency                      | Yes         |
| Self Test                      | Yes         |
| IP Rating                      | IP20        |
| IK Rating                      | IK08        |
| Class Protection               | 1           |
| Internal / External            | Internal    |
| Surface / Recessed / Suspended | Surface     |
| Lifetime (Hrs)                 | L70 50,000h |
| Warranty (Years)               | 5           |
| CE Mark                        | Yes         |
| Width (mm)                     | 300 mm      |
| Height (mm)                    | 199 mm      |
| Depth (mm)                     | 55 mm       |
| Accessories                    | ASBP/28/LI  |

# Technical Information

---

|                         |                   |
|-------------------------|-------------------|
| <b>Wattage</b>          | 5W                |
| <b>Lumens Delivered</b> | 440lm (Emergency) |
| <b>Beam Angle</b>       | 70                |
| <b>CRI</b>              | 70                |
| <b>CCT</b>              | 6500K             |
| <b>Input</b>            | 220/240V          |
| <b>Hertz</b>            | 50/60Hz           |
| <b>Operating Temp</b>   | 0°C to 40°C       |
| <b>SDCM</b>             | 6                 |

---

Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:27:18 AM



