

## **AEDELED50/CW/PIR**

Eden Floodlight 50W PIR Cool White



## **Features**

Compact and economic aluminium LED floodlight suitable for semi commercial applications

Bracket design allows installation without removing mounting bracket

Pre-wired with 1 metre of rubber insulated cable for ease of installation

Polycarbonate spike accessory allowing installation into lawn and garden applications

PIR versions complete with manual override facility

Non-dimmable

## General Information

Lamp Type	LED
Colour / Finish	Black
IP Rating	IP44
IK Rating	IK06
Class Protection	1
Internal / External	Internal / External
Surface / Recessed / Suspended	Surface
Lifetime (Hrs)	L90 36,000h
Warranty (Years)	2
CE Mark	Yes
Length (mm)	204 mm
Width (mm)	197 mm
Depth (mm)	61 mm
Accessories	AMFLSA

# Technical Information

<b>Wattage</b>	50W
<b>Lumens Delivered</b>	4400lm
<b>Lm/W</b>	87lm/W
<b>Beam Angle</b>	110
<b>CRI</b>	80
<b>CCT</b>	4000K
<b>Input</b>	220/240V
<b>Hertz</b>	50/60Hz
<b>Operating Temp</b>	-20°C to 40°C
<b>SDCM</b>	6

Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:27:09 AM

