



Freska CCT Downlight 3 White



- Economic ultra-slim circular LED performance downlight suitable for education, commercial, healthcare and retail applications
- CCT selectable between 3000K, 4000K and 6000K
- Ideal for use in areas with shallow ceiling void
- Edge lit providing excellent uniform illumination
- Triac dimmable as standard
- Standard and Self-Test Emergency available using the Hawk Kit Emergency Pack

Features

Feature 1	Economic ultra-slim circular LED performance downlight suitable for education, commercial, healthcare and retail applications
Feature 2	CCT selectable between 3000K, 4000K and 6000K
Feature 3	Ideal for use in areas with shallow ceiling void
Feature 4	Edge lit providing excellent uniform illumination
Feature 5	Triac dimmable as standard
Feature 6	Standard and Self-Test Emergency available using the Hawk Kit Emergency Pack



General Information

Lamp Type	LED
Dimmable	Yes
IP Rating	IP44
IK Rating	IK06
Class Protection	2
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
Warranty (Years)	5
Material	Aluminium, Polycarbonate

Technical Information

Wattage	18W
Lumens Delivered	2000lm (4000K)
Lm/W	105lm/w
Beam Angle	110
CRI	80
CCT	3000/4000/6000K
Input	220/240V
Hertz	50/60Hz
Operating Temp	-20°C - 40°C
Lumen Depreciation	L80 54,000h
Power Factor	0.9



