



AIRMLED/POD/3NM/ST

Panel Pod Self-Test Emergency



Features

Integral Self-Test emergency pod to convert any Pace LED and Endurance LED panel to emergency, instantly

LiFePO4 Lithium battery provides improved energy consumption, product reliability and lifetime

Simple, quick twist and lock fixing

Supplied with a pre-wired 1 Metre cable for ease of installation

Tri-colour LED shows green for healthy running condition, red/flashing for fault conditions and white for emergency operation

Patent Protected. GB 2522285B (United Kingdom)

Patent Protected. EP 2957826B (Europe)

General Information

Lamp Type	LED
Colour / Finish	White
Emergency	Yes
Self Test	Yes
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Surface
Lifetime (Hrs)	L70 50,000
Warranty (Years)	5
CE Mark	Yes
Width (mm)	125 mm
Height (mm)	45 mm

Technical Information

Wattage	5W
Lumens Delivered	190lm
Lm/W	118lm
Beam Angle	120
CRI	Ra 70
CCT	6500K
Input	220/240V
Hertz	50/60Hz
Operating Temp	0°C to 40°C

Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:27:17 AM

