

AMICD/BR

iCage Mini GU10 Die-Cast Fire Rated Downlight Brass



Features

Compact Fire Rated downlight for shallow ceiling voids suitable for residential and hospitality applications (product supplied less lamp)

Suitable for standard GU10 LED or halogen lamps retrofit

Protective polycarbonate spring clip covers for ceiling protection and ease of installation

Dedicated forward heat lamps NOT required

Extra large terminals for fast loop-in, loop-out wiring

Twistlock lamp retaining ring for ease of lamp replacement

Ultra-slim bezel profile

Option to add Bluetooth and WiFi enabled smart WiZ GU10 lamp

General Information

| | |
|-----------|------|
| Lamp Type | GU10 |
|-----------|------|

| | |
|-----------------|-------|
| Colour / Finish | Brass |
|-----------------|-------|

| | |
|------------|-----|
| Fire Rated | Yes |
|------------|-----|

| | |
|-------------------|-----|
| Bluetooth Enabled | Yes |
|-------------------|-----|

| | |
|-----------|------|
| IP Rating | IP20 |
|-----------|------|

| | |
|------------------|---|
| Class Protection | 1 |
|------------------|---|

| | |
|---------------------|----------|
| Internal / External | Internal |
|---------------------|----------|

| | |
|--------------------------------|----------|
| Surface / Recessed / Suspended | Recessed |
|--------------------------------|----------|

| | |
|---------|-----|
| CE Mark | Yes |
|---------|-----|

| | |
|---------------|-------|
| Diameter (mm) | 90 mm |
|---------------|-------|

| | |
|-------------|-------|
| Height (mm) | 94 mm |
|-------------|-------|

Technical Information

| | |
|---------|-----|
| Wattage | 50W |
|---------|-----|

| | |
|-------|----------|
| Input | 220/240V |
|-------|----------|

| | |
|-------|---------|
| Hertz | 50/60Hz |
|-------|---------|

| | |
|----------------|-------------|
| Operating Temp | 0°C to 25°C |
|----------------|-------------|

Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:27:02 AM

