

AOCTO/BT/PIR-R

OCTO Smart Recessed PIR Sensor White



Features

Bluetooth enabled surface and recessed smart PIR sensors for use with OCTO Casambi eco-system and suitable for commercial applications

Compatible with all other bluetooth OCTO Casambi devices as part of the OCTO Casambi ecosystem

Infrared PIR detector and photocell

Suitable for residential and commercial applications

Loop-in, loop-out internal connections for ease of installation

Detection range strength: 1) Strong detection zone i.e. person moving arm or walking towards PIR 2) Secondary detection zone i.e. person walking perpendicular to PIR

General Information

Colour / Finish	White
-----------------	-------

Bluetooth Enabled	Yes
-------------------	-----

IP Rating	IP20
-----------	------

Class Protection	2
------------------	---

Internal / External	Internal
---------------------	----------

Surface / Recessed / Suspended	Recessed
--------------------------------	----------

Warranty (Years)	5
------------------	---

CE Mark	Yes
---------	-----

Width (mm)	85 mm
------------	-------

Height (mm)	88 mm
-------------	-------

Technical Information

Input	220/240V
-------	----------

Hertz	50/60Hz
-------	---------

Operating Temp	-20°C to 40°C
----------------	---------------

Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:26:59 AM

