

APLEDDVRL

Profile Dual Voltage Razor Light White



Features

Ultra-slim unobtrusive modern dual voltage LED bathroom light suitable for residential and hospitality applications

Directional light output provides optimum facial illumination

All switches SELV rated for ultimate safety

Night light function with four minute timed override switch for full power output

Only 1.8W power consumption in night light mode

Optional wiring facility for remote bedside operation of night light function

USB 2A charge port

110/230V selectable shaver output and isolating transformer



Belfast: +44 (0) 2890 773750


General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP20
IK Rating	IK08
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Surface
Lifetime (Hrs)	L70 50,000h
Warranty (Years)	2
CE Mark	Yes
Length (mm)	456 mm
Width (mm)	70 mm
Depth (mm)	73 mm

Technical Information

Wattage	8W
Lumens Delivered	440lm
Lm/W	55lm/W
Beam Angle	60/80
CRI	70
ССТ	4000K
Input	220/240V
Hertz	50/60Hz
Operating Temp	0°C to 40°C
UGR	22





Datasheet generated from https://onetimepim.com last updated Monday, July 25, 2022 10:07:06 AM