

OCTO Prism Pro Anti-Glare FRD Connected by WiZ RGBTW



- IP65 Dimmable LED WiZ enabled tunable white Fire Rated Downlight suitable for residential and commercial applications
- Tunable between 2700K 6500K via WiZ App and voice control offering a choice of 2 outputs, in one luminaire
- Supplied with matt white bezel as standard.
- Anti-glare design to create visual comfort
- New innovative 2 part detachable connector design allows initial wiring and testing to be completed f irst, then simply plug the downlight back to the connector, ensuring a quick and simple installation
- Remote driver with 2x1.5mm² + CPC loop-in, loop-out colour coded push fit piano terminals provide an easy and efficient installation
- Low profile design and remote driver allows installation into shallow ceiling voids
- Fully tested for 30, 60 and 90 minute ceiling types to meet Part B of Building Regulations

General Information

Lamp Type LED

Dimmable Yes

Fire Rated Yes

IP Rating IP65

Class Protection 2

www.anselluk.com Warrington: +44 (0) 1942 433333 Belfast: +44 (0) 2890 773750





Internal / External Internal

Surface / Recessed / Suspended Recessed

OCTO Category OCTO embedded WiZ Connected

Bluetooth Enabled Yes

Voice Control Yes

Warranty (Years) 5

Material Aluminium, Polycarbonate, Steel

Technical Information

Wattage 8W

Lumens Delivered 380lm - 430lm (2700K - 6500K)

Lm/W 57lm/W

Beam Angle 55

CRI 80

CCT 2700-6500K Input 220/240V

Hertz 50/60Hz

Operating Temp -20°C to 35°C


Lumen Depreciation L70 54,000h

Power Factor 0.85



Warrington: +44 (0) 1942 433333 Belfast: +44 (0) 2890 773750







www.anselluk.com Warrington: +44 (0) 1942 433333 Belfast: +44 (0) 2890 773750