



General Information

Material number	11882
Type	Bulb
Technology	LED - HV
Light colour Complete	WARM WHITE
Socket Type (1)	E27
Illuminant Type (1)	E27-LED-G80
Energy Efficiency Class	B
kW/1000h	4
EAN/UPC	9002759118822

Dimensions

Article Diameter (in mm)	80
Article Length (in mm)	120

Light Information

Nominal Luminous Flux (in lm)	50
Rated Luminous Flux (90°/120°/full)	50
Beamangle (in °)	300
Colour Temperature	2000K

Technical Information

Equivalence With Incandescent Lamp (W)	15
Nominal Current (in mA)	24
Nominal Lamp Power (in W)	4
Nominal Lifetime (in h)	25000
Rated Lamp Power (0,1W precision)	4
Rated Lifetime (in h)	25,000

Switch information

Bulb-Dimmable	Yes
Starting Time	<0,5 sec
Warm-Up Time up to 60%	< 0,5 sec
Switching Cycles	15,000

Compatible Dimmers

ABB - 6523 UR-103-500

ABB - 6526 U-500

BERKER - 2873

BUSCH-JAEGER - 6523 UR-103

BUSCH-JAEGER - 6526 U

ELTAKO - EUD61NPN

FELLER - 40200.LED.FMI.61

GIRA - 236500

GIRA - 244000

GIRA - 245000

GIRA - 245500

JUNG - 1724DM

JUNG - 1730DD

JUNG - 1731DD

JUNG - UD1755REG

LEGRAND - 7 520 62

PEHA - 431 HAN

SCHNEIDER - SBD200LED

SIEMENS - 5TC8 263

SIEMENS - 5TC8211-0

THEBEN - DIMAX 542 plus S

11882

LM_LED_E27 - V1

