

Outdoor Bollard 600mm 9w 3000K 420lm IP65*Partcode: ILBDA002-600 / Page: 1***Height: 600mm**

Integral LED Outdoor Bollard Lights are stylish, hardwearing and weather-proof. These free-standing luminaires are an attractive way to light walkways and driveways in residential and commercial premises.

Product Details

Partcode: ILBDA002-600

Check Code: 125976

Range Name: Bollard Light

Product Type: Outdoor

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Optic: Opal Polycarbonate diffuser

Material: Die cast aluminium body with powder coated finish

Physical Data

Length: 600mm
Diameter: 107mm
Weight (Unpackaged Single Unit): 1200g
Luminaire Fixing: Floor Mounted


Electrical Data

Power Consumption: 9.0 Watts
Input Voltage: 220-240
Driver included: Yes
Electric Current: AC
Frequency Range: 50/60 Hz
Dimming: Non-dimmable
EN: EN-60598

Light Data

Useful Lumens: 420lm (Rated luminous flux in a 90° cone)
Lumens: 420lm
Lumens per Watt: 47.0lm/W
Correlated Colour Temperature (CCT): 3000k
Colour Temperature: Warm White
Colour Rendering Index (CRI): ≥ 80
LED Type: Surface mounted device (SMD)
Instant on - Less than 1 second: Yes
Lifetime: 25,000 hrs
Switching Cycles: $>15,000$ X

Environmental



Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 50 degrees

IK (Impact Protection) Rating: 8

IP (Ingress Protection) Rating: IP65

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788247081

Packaged Weight (Unit of 1): 1,600g

Length (unit of 1): 605mm

Width (unit of 1): 115mm

Depth (unit of 1): 115mm

Outer packaging info available on website

Product data last updated on: Tuesday, March 23, 2021 - 17:25