

Value+ Ceiling and Wall Light 16W 4000K 1200lm Non-Dimmable*Partcode: ILBHE026 / Page: 1*

Low-energy LED IP44 Value+ ceiling and wall light, suitable for all indoor areas such as hallways, stairways, walls and ceilings including bathrooms (Zone 2) and covered (sheltered) external areas, such as porches. PMMA Diffuser provides a soft light. Long life expectancy of 25,000 hours based on normal usage. 2 year warranty.

Product Details

Partcode: ILBHE026

Check Code: 399596

Range Name: Value+

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: Bulkheads-Ceiling-Wall Lights

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Product Finish: Matt white

Optic: PMMA diffuser

Material: PMMA, Metal

Construction: Metal base and PMMA diffuser

Physical Data

Depth: 85mm

Diameter: 300mm

Weight (Unpackaged Single Unit): 522g

Electrical Data

Voltage Range: 220-240V

Power Consumption: 16.0 Watts

Electric Current: AC

Ampage: 127.00mA

Frequency Range: 50/60 Hz

Power Factor: ≥ 0.50

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-60598

Light Data

Lumens: 1,200lm

Lumens per Watt: 75.0lm/W

Beam Angle: 120°

Correlated Colour Temperature (CCT): 4,000k

Colour Temperature: Cool White

Colour Rendering Index (CRI): ≥ 80


LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

Lifetime: 25,000 hrs

Switching Cycles: $>12,500$ X

Environmental



Lowest Operating Temperature: 0 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP44

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788223672

Packaged Weight (Unit of 1): 799g

Length (unit of 1): 325mm

Width (unit of 1): 325mm

Depth (unit of 1): 105mm

Outer packaging info available on website

Product data last updated on: Monday, August 7, 2017 - 14:34