

VALUE+ CEILING/WALL LIGHT 338MM DIA IP44 1600LM 16W 4000K 120 BEAM NON-DIMM INTEGRAL

ILBHE077



Low-energy LED IP44 Value+ ceiling and wall light, suitable for all indoor areas such as hallways, stairways, walls and ceilings including bathrooms (Zone 2) and covered (sheltered) external areas, such as porches. PMMA Diffuser provides a soft light. Long life expectancy of 25,000 hours based on normal usage. 3 year warranty.

Details

Quick Order Code:	063049
Barcode:	5055788262503
Category:	Luminaires
Range Name:	Value+
Product Type:	Bulkheads-Ceiling-Wall Lights
Product Body Finish:	Matt white
Market Segment:	Commercial indoor, Residential indoor
Features:	Standard
Warranty (Years):	3
CE RoHS:	Yes

Physical Data

Product Depth (mm):	80
Product Weight (g):	480
Optic:	PMMA diffuser
Material:	PMMA, Metal
Overall diameter (mm):	338
Construction:	Metal base and PMMA diffuser
Bulb or Luminaire Shape:	Round
Luminaire Fixing:	Ceiling, Wall
Placement / Application:	Indoor, General Lighting
Wiring / Mounting Options:	Rear cable entry

Electrical Data

Power Consumption (w):	16
Power Factor:	0.5
Amperage (mA):	114



Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
EN:	EN-60598
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	1600
Luminous efficacy (lm/W):	100
Correlated Colour Temperature (CCT) (K):	4000
Colour Temperature Name:	Cool White
Beam Angle:	120
Colour Rendering Index (CRI):	80
Frequency Range (Hz):	50/60
Instant on (Less than 1 second):	Yes
LED Type:	Surface mounted device (SMD)
Lifetime (hours):	25000
Switching Cycles:	12500

Environment

EN:	EN-60598
LVD Certified:	Yes
CE RoHS:	Yes
New Energy Rating:	F
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP44
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Package Weight (g):	940
Package Length (mm):	360
Package Width (mm):	360
Package Depth (mm):	950

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

Portal.integral-led.com

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE