# Candle Full Glass Omni-Lamp 4.5W (40W) 2700K 470Im E27 Dimmable 330 deg Beam Angle

Partcode: ILCANDE27DC042 / Page: 1



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

## **Product Details**

Partcode: ILCANDE27DC042 Check Code: 712482 Range Name: Omni Placement / Application: Indoor, General Lighting Market Segment: Commercial indoor, Residential indoor Product Type: Candle Warranty: 2 Years CE / RoHS: Yes

#### **Physical Data**

Lamp Base: E27 Base Type: Edison screw Globe Type: Candle Globe Finish: Clear Material: Glass Construction: Glass shell, Filament strip

## www.integral-led.com

## integral LED

Partcode: ILCANDE27DC042 / Page: 2

#### **Physical Data**

Length: 92mm Width: 35mm Weight (Unpackaged Single Unit): 19g Lamp or Luminaire Shape: Oval Lamp Fixing: Pendant, Wall

### **Electrical Data**

Voltage Range: 220-240V Power Consumption: 4.5 Watts Driver included: Yes Electric Current: AC Ampage: 27.00mA Frequency Range: 50 Hz Power Factor: >=0.70 Wattage Equivalent: 40 Watts Dimming: Dimmable with compatible dimmers Compatible Dimmer(s): Varilight JQP401W LVD Certified: Yes EN: EN-62560

## **Light Data**

Lumens: 470lm Lumens per Watt: 104.0lm/W Beam Angle: 330° Correlated Colour Temperature (CCT): 2,700k Colour Temperature: Warm Colour Rendering Index (CRI): >=80 LED Type: Filament chip Instant on - Less than 1 second: Yes Lifetime: 15,000 hrs Switching Cycles: >7,500 X

## www.integral-led.com



Partcode: ILCANDE27DC042 / Page: 3



Energy Rating: A++ Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 45 degrees IP (Ingress Protection) Rating: IP20 Hg 0% (Mercury Free): Yes

## Packaging



EAN Barcode (unit of 1): 5055788221890 Packaged Weight (Unit of 1): 69g Length (unit of 1): 108mm Width (unit of 1): 42mm Depth (unit of 1): 42mm **Outer packaging info available on website** 

Product data last updated on: Monday, August 7, 2017 - 14:34