Outdoor Curve PIR 7.6W 4000K 420Im IP54



Discover Integral's new outdoor range. Light up the exterior of your home with these compact, stylish and contemporary LED luminaires. Weatherproof and hard-wearing, this range is designed to last against the elements while bringing a designer look to your surroundings.

Sleek and sophisticated, the Curve wall light is the ideal accessory to light up your outdoor space. This product includes a PIR sensor to automatically switch on as people walk past, ideal for safety and security.

Product Details

Partcode: ILDEA029 Check Code: 980565 Range Name: Wall Light Product Type: Outdoor Warranty: 3 Years CE / RoHS: Yes

Physical Data

Optic: Opal Polycarbonate diffuser Material: Die cast aluminium body with powder coated finish

Partcode: ILDEA029 / Page: 2

Physical Data

Length: 275mm Width: 117mm Depth: 112mm Weight (Unpackaged Single Unit): 700g Luminaire Fixing: Wall Mounted

Electrical Data

Voltage Range: 220-240V Power Consumption: 7.6 Watts Driver included: Yes Electric Current: AC Ampage: 350.00mA Frequency Range: 50/60 Hz Power Factor: >=0.80 Dimming: Non-dimmable LVD Certified: Yes EN: EN-60598

Light Data

Lumens: 420lm Lumens per Watt: 55.0lm/W Correlated Colour Temperature (CCT): 4000k Colour Temperature: Cool White Colour Rendering Index (CRI): >=80 LED Type: Surface mounted device (SMD) Instant on - Less than 1 second: Yes Lifetime: 25,000 hrs Switching Cycles: >12,500 X

www.integral-led.com



Partcode: ILDEA029 / Page: 3

Environmental

Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP54 Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788240211 Packaged Weight (Unit of 1): 810g Length (unit of 1): 285mm Width (unit of 1): 128mm Depth (unit of 1): 122mm **Outer packaging info available on website**

Product data last updated on: Tuesday, October 15, 2019 - 12:32

www.integral-led.com