

**G4 1.1W (10W) 2700K 100lm Non-Dimmable 260 deg beam angle***Partcode: ILG4NC003 / Page: 1*

Integral LED G4 lamps run at less than 2W and offer a lifetime of thousands of hours more than their halogen equivalents. This makes them an ideal retrofit for existing G4 fittings.

**Product Details**

Partcode: ILG4NC003

Check Code: 592196

Range Name: Dorado

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: G4

Warranty: 2 Years

CE / RoHS: Yes

**Physical Data**

Lamp Base: G4

Base Type: G4

Globe Finish: Clear

Material: Silicone

Construction: Silicone

**Physical Data**

Length: 30mm

Width: 10mm

Weight (Unpackaged Single Unit): 2g

Lamp or Luminaire Shape: Oval

Lamp Fixing: Pendant, Wall

**Electrical Data**

Voltage Range: 12V

Power Consumption: 1.1 Watts

Driver included: No, needs 12V AC/DC Transformer

Electric Current: AC/DC

Ampage: 90.00mA

Frequency Range: 50/60 Hz

Power Factor:  $\geq 0.70$

Wattage Equivalent: 10 Watts

Dimming: Non-dimmable

EN: EN 61547:2009

**Light Data**

Lumens: 100lm

Lumens per Watt: 91.0lm/W

Beam Angle: 260°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI):  $\geq 80$


LED Type: COB

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles:  $>7,500$  X

### Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### Packaging



EAN Barcode (unit of 1): 5055788224501

Packaged Weight (Unit of 1): 2g

Length (unit of 1): 37mm

Width (unit of 1): 15mm

Depth (unit of 1): 15mm

**Outer packaging info available on website**

*Product data last updated on: Monday, August 7, 2017 - 14:36*