

OMNI FILAMENT GLS BULB B22 470LM 4W 2700K NON-DIMM 300 BEAM CLEAR INTEGRAL

ILGLSB22NC002



This cutting edge A++, 4W retro-fit Integral LED Classic Globe (GLS) (large bayonet base) from the Omni-Lamp range delivers a warm white light and brightness, similar to a 40W filament bulb. It has the appearance, feel and weight of a traditional light bulb. Featuring an LED filament chip, which enables a super-wide 300 degree beam angle. A decorative lamp, ideal for living rooms, hallways and kitchens.

Details

Quick Order Code:	579852
Barcode:	5055788210771
Category:	Lamps
Range Name:	Omni
Product Type:	GLS
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	103
Product Width (mm):	60
Product Weight (g):	32
Material:	Glass
Base Term:	Bayonet cap
Bulb Base:	B22
Globe Finish:	Clear
Globe Type:	GLS
Bulb Fixing:	Pendant, Wall
Bulb or Luminaire Shape:	Round

Electrical Data

Power (W):	4
Power Consumption (w):	4
Power Factor:	0.5
Wattage equivalent (W):	40
Amperage (mA):	35
Dimming:	Non-Dimmable



Driver IC Manufacturer:	Mingwei
Driver Included:	Yes
Electric Current:	AC
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	470
Luminous efficacy (lm/W):	118
Correlated Colour Temperature (CCT) (K):	2700
Colour Temperature:	2700K - Warm
Colour Temperature Name:	Warm
Beam Angle:	300
Colour Rendering Index (CRI):	80
Frequency Range (Hz):	50
Instant on (Less than 1 second):	Yes
LED Type:	Filament chip
Lifetime (hours):	15000
Switching Cycles:	7500

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Previous Energy Rating:	A++
New Energy Rating:	D
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Package Weight (g):	56	Portal.integral-led.com
Package Length (mm):	120	

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

Package Width (mm):	65
Package Depth (mm):	65
Qty per euro pallet:	1050