

# **Product Specification Sheet**

## Classic Globe (GLS) Omni-Lamp 6W (60W) 2700K 806lm B22 Non-Dimmable 320 deg Beam Angle

Partcode: ILGLSB22NC028 / Page: 1



Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

#### **Product Details**

Partcode: ILGLSB22NC028

Check Code: 264201 Range Name: Mensae

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS Warranty: 2 Years CE / RoHS: Yes

### **Physical Data**

Lamp Base: B22

Base Type: Bayonet cap
Base Colour: Matt white

Globe Type: Classic Globe (GLS)

Globe Finish: Clear

Material: Glass



# **Product Specification Sheet**

Partcode: ILGLSB22NC028 / Page: 2

#### **Physical Data**

Length: 107mm Width: 60mm

Weight (Unpackaged Single Unit): 32g Lamp or Luminaire Shape: Round Lamp Fixing: Pendant, Wall

#### **Electrical Data**

Voltage Range: 220-240V

Power Consumption: 6.0 Watts

Driver included: Yes

Driver IC Manufacturer: Mingwei

Electric Current: AC Ampage: 50.00mA

Frequency Range: 50 Hz Power Factor: >=0.50

Wattage Equivalent: 60 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

#### **Light Data**

Lumens: 806lm

Lumens per Watt: 134.0lm/W

Beam Angle: 320°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X





Partcode: ILGLSB22NC028 / Page: 3

**Product Specification Sheet** 

#### **Environmental**



Energy Rating: A++

Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### **Packaging**



EAN Barcode (unit of 1): 5055788212409

Packaged Weight (Unit of 1): 80g

Length (unit of 1): 135mm Width (unit of 1): 68mm Depth (unit of 1): 68mm

Outer packaging info available on website

Product data last updated on: Thursday, October 25, 2018 - 15:37