

Classic Globe Frosted (GLS) 9.5W (60W) 5000K 806lm B22 Non-Dimmable Frosted Lamp

Partcode: ILGLSB22NF073 / Page: 1



This 9.5W great all-purpose retrofit Integral LED Classic Globe (GLS) delivers a daylight output equivalent to 60W, offering big energy savings over equivalent incandescent bulbs. With a 806 lumen output and frosted finish this lamp is ideal for rooms with a single pendant fitting, living rooms, hallways and kitchens.

Product Details

Partcode: ILGLSB22NF073

Check Code: 565237

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: B22

Base Type: Bayonet cap

Globe Type: GLS

Material: Plastic

Partcode: ILGLSB22NF073 / Page: 2

Physical Data

Length: 104mm
Diameter: 60mm
Weight (Unpackaged Single Unit): 36g
Lamp or Luminaire Shape: Round
Lamp Fixing: Pendant, Wall


Electrical Data

Voltage Range: 220-240V
Power Consumption: 9.5 Watts
Driver included: Yes
Electric Current: AC
Ampage: 80.00mA
Frequency Range: 50 Hz
Power Factor: ≥ 0.50
Wattage Equivalent: 60 Watts
Dimming: Non-dimmable
LVD Certified: Yes
EN: EN-62560

Light Data

Lumens: 806lm
Lumens per Watt: 85.0lm/W
Beam Angle: 200°
Correlated Colour Temperature (CCT): 5,000k
Colour Temperature: Daylight
Colour Rendering Index (CRI): ≥ 80
Instant on - Less than 1 second: Yes
Lifetime: 15,000 hrs
Switching Cycles: $>7,500$ X

Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788234197

Packaged Weight (Unit of 1): 56g

Length (unit of 1): 65mm

Width (unit of 1): 65mm

Depth (unit of 1): 120mm

Outer packaging info available on website

Product data last updated on: Thursday, October 25, 2018 - 16:19