

## **Product Specification Sheet**

# Classic Globe (GLS) Full Glass Omni-Lamp 7W 2700K 806LM E27 Dimmable 330 deg Beam Angle

Partcode: ILGLSE27DC054 / Page: 1



Integral Filament Omni GLS Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in ceiling pendants and fittings where the lamp is exposed.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

#### **Product Details**

Partcode: ILGLSE27DC054

Check Code: 265298 Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor

Product Type: GLS Warranty: 2 Years CE / RoHS: Yes

#### **Physical Data**

Base Type: Edison screw

Globe Type: Classic Globe (GLS)

Globe Finish: Clear Material: Glass

Construction: Glass shell, Filament strip



## **Product Specification Sheet**

Partcode: ILGLSE27DC054 / Page: 2

#### **Physical Data**

Length: 105mm Width: 60mm

Weight (Unpackaged Single Unit): 32g Lamp or Luminaire Shape: Round

#### **Electrical Data**

Voltage Range: 220-240V

Lamp Fixing: Pendant, Wall

Power Consumption: 7.0 Watts

Driver included: Yes Electric Current: AC Ampage: 30.00mA

Frequency Range: 50 Hz Power Factor: >=0.80

Wattage Equivalent: 60 Watts

Dimming: Dimmable with dimmable drivers and compatible dimmers

LVD Certified: Yes EN: EN-62560

#### **Light Data**

Lumens: 806lm

Lumens per Watt: 115.0lm/W

Beam Angle: 330°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs



## **Product Specification Sheet**

Partcode: ILGLSE27DC054 / Page: 3

#### **Environmental**



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### **Packaging**



EAN Barcode (unit of 1): 5055788222453

Packaged Weight (Unit of 1): 82g

Length (unit of 1): 115mm Width (unit of 1): 64mm Depth (unit of 1): 64mm

Outer packaging info available on website

Product data last updated on: Monday, August 7, 2017 - 14:37