

Classic Globe (GLS) Frosted E27 7.5W (60W) 2700K 806lm Dimmable 300 deg Beam Angle

Partcode: ILGLSE27DC067 / Page: 1



The Classic Full Glass Frosted range mirror the look of traditional light bulbs that have been used widely in homes for decades. These attractive and lightweight bulbs are almost indistinguishable from frosted tungsten filament bulbs, but are far more efficient with a much longer life. These lamps can be instantly retrofit into existing fittings so you can immediately benefit from their high lm/W efficacy.

Product Details

Partcode: ILGLSE27DC067

Check Code: 296130

Range Name: Classic

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw

Globe Type: Classic Globe (GLS)

Globe Finish: Frosted

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

Physical Data

Length: 108mm
Width: 60mm
Diameter: 60mm
Weight (Unpackaged Single Unit): 42g
Lamp or Luminaire Shape: Round
Lamp Fixing: Pendant, Wall


Electrical Data

Voltage Range: 220-240V
Power Consumption: 7.5 Watts
Driver included: Yes
Electric Current: AC
Ampage: 40.00mA
Frequency Range: 50/60 Hz
Power Factor: ≥ 0.50
Wattage Equivalent: 60 Watts
Dimming: Dimmable with compatible dimmers
Compatible Dimmer(s): Varlight
LVD Certified: Yes
EN: EN-62560

Light Data

Lumens: 806lm
Lumens per Watt: 107.0lm/W
Beam Angle: 300°
Correlated Colour Temperature (CCT): 2,700k
Colour Temperature: Warm
Colour Rendering Index (CRI): ≥ 80
LED Type: Filament chip
Instant on - Less than 1 second: Yes
Lifetime: 15,000 hrs
Switching Cycles: $>7,500$ X

Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788232247

Packaged Weight (Unit of 1): 64g

Length (unit of 1): 65mm

Width (unit of 1): 65mm

Depth (unit of 1): 120mm

Outer packaging info available on website

Product data last updated on: Wednesday, November 14, 2018 - 10:52