

GLS BULB E27 1055LM 9.5W 5000K NON-DIMM 240 BEAM FROSTED INTEGRAL

ILGLSE27NF114



This 9.5W retro-fit Integral LED Classic Globe (GLS) (large screw base) delivers a cool white light and brightness, similar to a 75W filament bulb. It features high output LEDs, an anti-glare refractor, all finished in an aluminium and plastic, thermally efficient body. Ideal for living rooms, hallways and kitchens

Details

Quick Order Code:	011981
Barcode:	5055788258957
Category:	Lamps
Range Name:	Everyday
Market Segment:	Commercial indoor, Residential indoor
Finish:	Frosted
Warranty (Years):	2
CE RoHS:	Yes

Physical Data

Product Length (mm):	60
Product Width (mm):	60
Product Weight (g):	36
Material:	Plastic and Aluminium heat-sink, Injection moulded diffuser
Base Term:	Edison screw
Bulb Base:	E27
Construction:	Plastic
Globe Finish:	Frosted
Globe Type:	GLS
Bulb or Luminaire Shape:	Round
Placement / Application:	Indoor, General Lighting
Spot Type:	SMD

Electrical Data

Power Consumption (w):	9.5
Power Factor:	0.5
Wattage equivalent (W):	75



Amperage (mA):	72
Dimming:	Non-Dimmable
Driver Included:	Yes
Electric Current:	AC
True Wattage Eq (W):	75
EN:	EN-62560
LVD Certified:	Yes

Light Data

Luminous Flux in Lumens (lm):	1055
Luminous efficacy (lm/W):	111
Correlated Colour Temperature (CCT) (K):	5000
Colour Temperature:	5000K - Daylight
Colour Temperature Name:	Daylight
Beam Angle:	240
Colour Rendering Index (CRI):	80
Colour Type:	Single
Frequency Range (Hz):	50/60
Instant on (Less than 1 second):	Yes
LED Type:	Surface mounted device (SMD)
Lifetime (hours):	15000
Switching Cycles:	30000
Useful Lumens (lm):	1055

Environment

EN:	EN-62560
LVD Certified:	Yes
CE RoHS:	Yes
Previous Energy Rating:	A+
New Energy Rating:	E
Hg 0% (Mercury Free):	Yes
IP Rating (Ingress Protection):	IP20
Lowest Operating Temperature (°C):	-20
Maximum Operating Temperature (°C):	40



Packaging

Package Weight (g):	61
Package Length (mm):	120
Package Width (mm):	65
Package Depth (mm):	65