

Product Specification Sheet

Mini Globe Full Glass Omni-Lamp 4W (36W) 2700K 420lm B22 Non-Dimmable 330 deg beam angle

Partcode: ILGOLFB22NC030 / Page: 1



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

Product Details

Partcode: ILGOLFB22NC030

Check Code: 800100 Range Name: Omni

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: Mini Globe

Warranty: 2 Years CE / RoHS: Yes

Physical Data

Lamp Base: B22

Base Type: Bayonet cap

Base Colour: Silver

Globe Type: Mini Globe Globe Finish: Clear

Material: Aluminium, Glass

Construction: Glass shell, Filament strip, Aluminium base



Product Specification Sheet

Partcode: ILGOLFB22NC030 / Page: 2

Physical Data

Length: 83mm Width: 45mm

Weight (Unpackaged Single Unit): 23g Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 4.0 Watts

Driver included: Yes Electric Current: AC Ampage: 34.00mA

Frequency Range: 50 Hz
Power Factor: >=0.50

Wattage Equivalent: 36 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

Light Data

Lumens: 420lm

Lumens per Watt: 105.0lm/W

Beam Angle: 330°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X



Product Specification Sheet

Partcode: ILGOLFB22NC030 / Page: 3

Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788215448

Packaged Weight (Unit of 1): 73g

Length (unit of 1): 95mm Width (unit of 1): 48mm Depth (unit of 1): 48mm

Outer packaging info available on website

Product data last updated on: Monday, August 7, 2017 - 14:32