

Product Specification Sheet

GX53 5W (40W) 2700K 530lm Non Dimmable 100 deg Beam Angle

Partcode: ILGX53N001 / Page: 1



Integral LED GX53 lamps are an ideal retrofit lamp for GX53 fittings in kithen units, display cabinets and undershelf lighting.

These highly efficient lamps offer significant energy savings and long life compared to halogen equivalents.

Product Details

Partcode: ILGX53N001 Check Code: 432812 Range Name: GX53

Market Segment: Commercial indoor, Residential indoor

Product Type: GX53 Warranty: 2 Years CE / RoHS: Yes

Physical Data

Globe Type: GX53 Globe Finish: Frosted

Material: Aluminium, Polycarbonate Construction: SMD, Plastic Body



Product Specification Sheet

Partcode: ILGX53N001 / Page: 2

Physical Data

Length: 75mm Width: 25mm

Weight (Unpackaged Single Unit): 65g Lamp or Luminaire Shape: Round

Electrical Data

Voltage Range: 220-240V

Power Consumption: 5.0 Watts

Driver included: Yes Electric Current: AC Ampage: 42.00mA

Frequency Range: 50/60 Hz

Power Factor: >=0.53

Wattage Equivalent: 40 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

Light Data

Lumens: 530lm

Lumens per Watt: 106.0lm/W

Beam Angle: 110°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs


Switching Cycles: >7,500 X



Product Specification Sheet

Partcode: ILGX53N001 / Page: 3

Environmental



Energy Rating: A+

Lowest Operating Temperature: -15 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788222934

Packaged Weight (Unit of 1): 65g

Length (unit of 1): 75mm
Width (unit of 1): 75mm
Depth (unit of 1): 26mm

Outer packaging info available on website

Product data last updated on: Monday, August 7, 2017 - 14:37