

Strip 24V IP33 10m x 10mm 3000K 12W/m CRI80

Partcode: ILSTWHIA066E / Page: 1



Integral LED strips are produced to a high standard to ensure consistency in brightness and colour temperature across the strip.

These 10m strips have been developed to run a full 10m with no loss of luminosity.

Product Details

Partcode: ILSTWHIA066E

Check Code: 202224

Range Name: Diatonic

Placement / Application: Decorative indoor

Market Segment: Commercial indoor, Residential indoor

Product Type: Flexible

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Base Colour: Matt white

Material: PCB

Construction: LED surface mounted on to strip

Physical Data

Length: 10m

Width: 10mm

Weight (Unpackaged Single Unit): 200g

Strip Cut Points: 100mm

Electrical Data

Voltage Range: 24V

Power Consumption Per Meter: 12.0W/m

Driver included: No

Electric Current: DC

Dimming: Dimmable with dimmable drivers and compatible dimmers

LVD Certified: Yes

EN: EN-62031

Light Data

Lumens per Meter: 910lm/M

LEDs per meter: 60/m

Beam Angle: 115°

Correlated Colour Temperature (CCT): 3,000k

Colour Temperature: Warm White

Colour Type: Single

Colour Rendering Index (CRI): ≥ 80

LED Type: Surface mounted device (SMD)

LED Size: 2835

Lifetime: 19,800 hrs

Partcode: ILSTWHIA066E / Page: 3

Environmental

Lowest Operating Temperature: -25 degrees

Maximum Operating Temperature: 60 degrees

IP (Ingress Protection) Rating: IP33

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788229810

Packaged Weight (Unit of 1): 210g

Length (unit of 1): 250mm

Width (unit of 1): 230mm

Depth (unit of 1): 11mm

Outer packaging info available on website

Product data last updated on: Monday, August 7, 2017 - 14:38