

401752

Sensors

Alwen PIR Batten Mount Sensor



Alwen PIR Batten Mount Sensor



General Data

Technology	PIR IR
Electrical Connector Type	Flying Lead
Input Electrical Connection	Live Neutral
General Application	Commercial Industrial Educational
Operating Temperature Range °C	-10 - +35
Warranty (Years)	5

Electrical Data

Wattage (W)	0.5
Mains voltage (V)	220 - 240
Electrical protection	Class II
Driver Output Current (mA)	2A Max
Dimmable	Yes
Dimmable Type	Remote Control
Nominal Frequency (Hz)	50/60

401752

Sensor Data

Sensor Technology	PIR
Sensor Type	Dimmable
Max. Mounting Height (M)	7
Hold Time	10s/90s/5min/10min/15min/20min/30min/60min
Detection area (m)	2 - 16 (20%/40%/60%/80%/100%/)
Detection radius (°)	360
Wireless Communication	Infrared
Remote / APP	Remote

Physical Data

Housing colour	White RAL 9003
Body material	ABS
IP Rating	20
Nominal Product Length (mm)	130
Nominal Product Width (mm)	36.4
Nominal Product Height (mm)	28
Weight (kg)	0.1

Standards and Approvals

Manufactured In Accordance To	EN 60598-1
CE Mark	Yes
UKCA Mark	Yes
WEEE Symbol	Yes
Certificate Of Conformity	Available on Request
Accredited Members	LIA, ISO9001

Product Relations

401752



401754
Alwen PIR High Bay Remote
