# essentials





# New Media Modular Plates (Unfurnished)



Electrophoretically coated plates and back boxes provide a durable and long lasting heavy duty finish to the Metal Clad range of products.

Metal Clad New Media modular plates produce a comprehensive yet flexible and user friendly 'system' which enables the installer to easily create topical media and power cabling solutions using any combination of our 25mm x 50mm or 50mm x 50mm media modules.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454

E-mail: sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362

Website: www.scolmore.com

# essentials



# **New Media Modular Plates (Unfurnished)**

## **Product Range**

### **New Media Modular Plates (Unfurnished)**

1 Gang Plate Twin Aperture **CL311** 


2 Gang Plate Quad Aperture **CL312** 






CL312

# **Product Dimensional Drawings (mm)**





Errors & Omissions excluded. Specification is subject to change without notice. All Metal Clad New Media modular plates are provided with 40mm deep back boxes.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 E-mail: sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362 Website: www.scolmore.com

# essentials



# **New Media Modular Plates (Unfurnished)**

Technical Specification	
New Media Modular Plates (Unfurnished)	
Material Composition	Front Plate & Back Box: Electrophoretically Coated Steel
	Insert: Urea
	Earth Terminal: Brass
	Earth Strap: Mild Steel
Cable Size	Dependent on modules fitted
Back Box Depth	40mm Provided
Knockout Sizes	20mm
Modular	Yes
Warranty	10 Years
IP Rating	IP20
Operational Temperature	-5° to +40°C
Standards	BS 5733 : 2010 + A1 : 2014

### **Additional Information**

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

**Facsimile:** 01827 63362

Website: www.scolmore.com



#### Scolmore International Ltd

1 Scolmore Park: Landsberg Lichfield Road Industrial Estate Tamworth, Staffordshire B79 7XB

t: 01827 63454

f: 01827 63362 e: sales@scolmore.com

w: www.scolmore.com

## **DECLARATION OF CONFORMITY**

1. Issuer Name Scolmore International Limited

2. Issuer Address 1 Scolmore Park, Landsberg,

> Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7XB

3. Object(s) of Declaration Metal Clad Range

> a. Group New Media Modular Plates (Unfurnished)

b. Model No. CL311, CL312

- 4. The object of the declaration described above is in conformity with the requirements of the following Legislations:
- 5. All products contained within the aforementioned comply with the relevant standards and requirements listed below.

BS 5733: 2010 + A1: 2014

6. I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008

Signed, for and on behalf of: Scolmore International Limited

Steven Bettson BSc - Senior Technical Support Engineer

CE 15







