



## *TV & Satellite Socket Outlets*



The smooth contemporary curves of the Deco Plus range are available in seven finishes to compliment any room.

Deco Plus TV and Satellite outlets are designed to fit effortlessly with the range, with simple installation to enhance the décor of any area.

**TV & Satellite Socket Outlets**

**Product Range**

**Finish Comparison**



Antique Brass (AB)



Polished Brass (BR)



Polished Chrome (CH)



Satin Chrome (SC)



Satin Brass (SB)



Black Nickel (BN)



Stainless Steel (SS)

## TV & Satellite Socket Outlets

### Product Range

#### Non-Isolated Coaxial & Satellite Socket Outlets (Unshielded)

<b>DP**065##</b>	Single Non-Isolated Coaxial Socket Outlet
<b>DP**066##</b>	Twin Non-Isolated Coaxial Socket Outlet
<b>DP**156##</b>	Single Non-Isolated Satellite Socket Outlet
<b>DP**170##</b>	Non-Isolated Satellite & Non-Isolated Coaxial Socket Outlet

#### Isolated Coaxial & Satellite Socket Outlets (Unshielded)

<b>DP**157##</b>	Isolated Satellite & Isolated Coaxial Socket Outlet
<b>DP**158##</b>	Single Isolated Coaxial Socket Outlet
<b>DP**159##</b>	Twin Isolated Coaxial Socket Outlet



DPAB065BK



DPBR066WH



DPCH156BK



DPSC170WH



DPBN157BK










DPSS158WH



DPSB159BK

**TV & Satellite Socket Outlets**


**Product Dimensional Drawings (mm)**




TV & Satellite Socket Outlets

Wiring Diagrams


DP\*\*065




DP\*\*066



DP\*\*156, 158



DP\*\*157, 159, 170



## TV & Satellite Socket Outlets

### Technical Specification

#### TV & Satellite Socket Outlets

<b>Material Composition</b>	Front Plate: Stainless Steel
<b>Back Box Depth</b>	16mm - 47mm
<b>Warranty</b>	10 Years
<b>IP Rating</b>	IP20
<b>Operational Temperature</b>	-5° to +40°C
<b>Standards</b>	The Low Voltage Directive 2014/35/EC BS 3041-7:1996 BS 5733:1995 (where applicable)

### Additional Information

**Non-Isolated:** Direct connection to aerial where two way signal is required i.e. Receiver/Decoders.

**Isolated:** Incoming signal is allowed to pass through from the aerial but the return signal is blocked i.e. communal dish or aerials.

**Screened:** Connections in the plate are protected from external interferences.





## EU DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,  
Lichfield Road Industrial Estate,  
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Deco Plus Range
  - a. *Group* Television & Satellite Socket Outlets
  - b. *Model No.* DP-065, DP-066, DP-156, DP-157, DP-158, DP-159, DP-170
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*
5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS 3041-7 : 1996

BS 5733 : 1995 (where applicable)

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

*In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008.*

*This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited*

*R Turner*

Ross Turner - Technical Support Engineer