







The smooth contemporary curves of the Deco Plus range are available in seven finishes to compliment any room.

Deco Plus Dual Voltage Shaver Sockets are designed to fit effortlessly with the range, with simple installation to enhance the décor of any area.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362

Website: www.scolmore.com





Product Range

Finish Comparison



Antique Brass (AB)



Polished Brass (BR)



Polished Chrome (CH)



Satin Chrome (SC)



Satin Brass (SB)



Black Nickel (BN)



Stainless Steel (SS)

V1.0

Facsimile: 01827 63362

Website: www.scolmore.com

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com





Product Range

Dual Voltage Shaver Socket (230V/115V)


DP**100##

Dual Voltage Shaver Socket



DPSS100BK

Product Wiring and Dimensional Drawings (mm)



Errors & Omissions excluded. Specification is subject to change without notice. ** Denotes Plate Finish, ## Insert Colour

V1.0

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362 Website: www.scolmore.com





Technical Specification	
Dual Voltage Shaver Socket (230V/115V)	
Material Composition	Front Plate: Stainless Steel
	Rear Housing: Urea & Nylon
	Terminals: Brass
	Earth Strap: Mild Steel
	Terminal Screws: Steel & Yellow Passivated
	Silver "on-lay" Copper / Brass Contacts
Voltage	240V~ 50Hz
Current Rating	20VA at 230V or 115V
Terminal Size	3.5mm ø
Torque Value	0.4Nm
Cable Size	2 x 1.5mm ² or 1 x 2.5mm ²
Back Box Depth	47mm
Twin Earth	Yes
Warranty	10 Years
IP Rating	IP21
Features	Safety Interlock Shutter
Operational Temperature	-5° to +40°C
Standards	The Low Voltage Directive 2014/35/EC
	BS EN 61558-1:2005 + A1:2009
	BS EN 61558-2-5:2010 (Second Edition)
	IEC 60884-1

Additional Information

This outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet. Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

Errors & Omissions excluded. Specification is subject to change without notice.

V1.0

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB





Scolmore International Ltd

1 Scolmore Park: Landsberg Lichfield Road Industrial Estate Tamworth, Staffordshire B79 7XB

t: 01827 63454 f: 01827 63362

e: sales@scolmore.com w: www.scolmore.com

EU DECLARATION OF CONFORMITY

Issuer Name Scolmore International Limited

2. Issuer Address 1 Scolmore Park, Landsberg,

Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7XB

3. Object(s) of Declaration Deco Plus Range

a. Group Shaver Socket Outlet

b. Model No. DP-100

4. The object of the declaration described above is in conformity with the requirements of the following Legislations:

Document No Title

2014/35/EC Low Voltage Directive

5. All products contained within the aforementioned comply with the relevant standards and requirements listed below.

BS EN 61558-1: 2005 + A1:2009

BS EN 61558-2-5: 2010 (Second Edition)

IEC 60884-1: 2002 (Third Edition) + A1: 2006 + A2: 2013

6. I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited

Wumer

Ross Turner - Technical Support Engineer







