

Technical Specification

Product Code: MD020MB

Description: 10A 3 Pole Fan Isolation Switch Module



General Information

<p>Dimensions (mm) 41 (W) x 52.5 (H) x 22 (D)</p> <p>Finish Matt Black</p> <p>Materials Rocker Switch: Urea Switch Cover: Stainless Steel Terminal Screws: Steel & Yellow Passivated Internal Busbars: Formed Pressed Brass</p> <p>Rated Voltage (V~) (Ue) 250</p> <p>Resistive Load Rating (A) 13</p> <p>Inductive Load Rating (AX) 10</p> <p>Load Rating Comments Suitable For Inductive Loads</p> <p>Termination Type Screw</p> <p>Terminal Size (mm) Ø3.5</p> <p>Terminal Capacity - Solid (mm²) 4 x 1.5 or 2 x 2.5</p> <p>Modular Rocker Switches Yes</p> <p>Triple Pole Switch Yes</p> <p>Product Marking On, Off Fan Isolator</p> <p>Minimum Back Box Depth (mm) 25 (35 Flat Plate)</p> <p>Operational Temperature (°C) -5 to +40</p> <p>Warranty (Years) 10</p>	<p>Rear Housing: Nylon</p> <p>Terminals: Brass</p> <p>Contacts: Silver "on-lay" Copper / Brass</p> <p>Frequency (Hz) 50</p> <p>Terminal Torque Value (Nm) 0.5</p>
<p>Standards BS EN 60669-2-4 BS EN 60669-1</p>	

Additional Information

For cleaning / polishing of products, use only a soft, dry, clean cloth.
Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.
Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.